



COOPER BEARING LIMITED

NU2230EM NSK Single row cylindrical roller bearings

Bearing No. NU2230EM



NU2230EM Bearing 2D drawings and 3D CAD models

Size	150x270x73 mm
Bore Diameter	150 mm
Outer Diameter	270 mm
Width	73 mm
d	150 mm
Fw	182 mm
D	270 mm
B	73 mm
C	73 mm
r min.	3 mm
r1 min.	3 mm
da min.	163 mm
Da max.	257 mm
db max.	177 mm
db min	163 mm
ra max.	2,5 mm
rb max.	2,5 mm
S	3 mm
Weight	19,3 Kg
Basic dynamic load rating (C)	635 kN
Basic static load rating (C0)	930 kN
(Grease) Lubrication Speed	2 000 r/min
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK



COOPER BEARING LIMITED

Minimum Buy Quantity	N/A
Weight / Kilogram	1.6
Product Group	B04144
hidYobi	NU2230EM
LangID	1
D_	270
Macha rpm	3800
B_	73
hidTable	ecat_NSCLDR
Oil rpm	2600
rb	2.5
mass	19
GRS rpm	2000
ra	2.5
db max	177
TSR rpm	2800
C0	930
DE_	242
Prod_Type3	CRB_SR_NU
da	163
DA_	30
Z_	18
D_a max	257
yobi	NU2230EM
dd min	196
C_conv	635000
ALPHA_	0
SDM_	212
r	3
dc min	184
KBRG	4145
SBRG	22



COOPER BEARING LIMITED

r1	3
DI_	182